

To: Wickersty, Richard[Wickersty.Richard@epa.gov]; Norrell, Neil[Norrell.Neil@epa.gov]; regibson@ludlums.com[regibson@ludlums.com]
From: Daly, Eric
Sent: Tue 8/16/2016 2:56:26 PM
Subject: RE: Work Order: 20294718

Good Morning Renee:

Rich will be providing the payment information.

I wanted to ensure the shipping information update was received on your end. The instrument should be shipped to my attention at the Niagara Falls address below. However, it will have to be received by August 25th for us to be present. If there are delays in shipment, we will have to change the shipping address. Thanks

USEPA
C/O Eric Daly
9626 Niagara Falls Boulevard
Niagara Falls, NY 14304

From: Renee Gibson [mailto:regibson@ludlums.com]
Sent: Tuesday, August 16, 2016 9:45 AM
To: Wickersty, Richard <Wickersty.Richard@epa.gov>
Subject: Work Order: 20294718

Good Morning,

Attached is a copy of an order that we have ready to ship back, but we need the credit card information.

Thank you,

Renee Gibson
Repair/Calibration Dept.
Ludlum Measurements, Inc.
501 Oak St.
Sweetwater, TX 79556
regibson@ludlums.com
(325)235-5494/1-800-622-0828 x3409
Serving the nuclear industry since 1962.

----- Forwarded Message -----

Subject:Attached Image

Date:Tue, 16 Aug 2016 08:50:35 -0400

From:repair@ludlums.com

To:Renee Gibson <regibson@ludlums.com>